



DELIVERY PROGRAM UNIQ



DELIVERY PROGRAM
JANUARY 2020
WWW.UNIQ-BALUSTRADES.COM
ENGLISH

a smart balustrade masterpiece



UNIQ

the smartest profile for glass balustrades

The new generation of glass balustrade profiles isn't just called UNIQ. The patented clamping of the glass without wedges and rubbers, the adjustability on rough surfaces, the hollow design and the quick and easy assembly are all unique and smart characteristics that save time and money.

UNIQ provides the perfect profile for any balustrade. Suitable for assembly on or against the floor, for finished or rough concrete, steel or wood floors, and for line loads of 0.5-1-2-3 kN/m.

The detailed information in this brochure is also available on the website www.uniq-balustrades.com

UNIQ profiles are an innovation from SB-Railing, part of IMS Nederland. Since 1954, this company has been providing semi-manufactured steel, stainless steel and aluminum products.

www.ims-nederland.biz

IMS Nederland B.V. is
ISO 9001:2008 and CE certified.



INDEX

	Page		Page
 UNIQ SB-O1	16	 UNIQ SB-O2S	48
 UNIQ SB-O2	20	 UNIQ SB-A1S	52
 UNIQ SB-O3	24	 UNIQ SB-A2S	56
 UNIQ SB-A1	28	 UNIQ SB-OXS	60
 UNIQ SB-A2	32	 Anchor Fisher / Mounting tools	64
 UNIQ SB-A3	36	 Slotted Tube System	68
 UNIQ SB-O 0.5S	40	 Glass Clips	72
 UNIQ SB-O1S	44		



ALL UNIQ PROFILES ARE AVAILABLE AS BIM
MODEL. DOWNLOAD THEM ON OUR WEBSITE
WWW.UNIQ-BALUSTRADES.COM

6 REASONS TO CHOOSE UNIQ





SMART CLAMPING



The patented clamping strip holds the glass securely in place. The lack of wedges means no stress in the glass, with the tension distributed evenly across the entire pane.

ADJUSTABLE



The profiles are secured via adjustable nuts, meaning that the profiles are always level and the glass is always straight, no matter how uneven the surface.

QUICK ASSEMBLY



Assembling a balustrade has never been so quick and easy: secure the profile, put the glass in place, apply the clamping strip and tighten the bolts. That's it!

SAFE



The clamping strip guarantees the glass will never come loose. It's the ultimate in safety.

LIGHT AND STRONG



The sophisticated hollow design makes the profiles lighter and stronger. It's the best choice both, structurally and financially.

ELEGANT FINISHING



The lack of rubbers ensures a stylish look. Various covers are available for finishing the floor and front side: simply click them into place.

ABOUT UNIQ

UNIQ IS THE EYE FOR DETAIL

Glass balustrades are very beautiful objects. Transparent and almost invisible, the glass becomes one with the floor: an effect the UNIQ system has absolutely perfected. The finishing has also been taken to a whole new level. UNIQ is the basis for safe balustrades in their most beautiful form.

NO MORE RUBBERS

To ensure the floor blends seamlessly into the glass, UNIQ uses no ugly rubbers. This creates a smooth, stylish finish that elegantly accentuates any architectural style.

FINISHING

A variety of aluminium covers can be easily clicked onto the base profile. Covers are available for both the floor side and the front side to ensure the perfect finish for your balustrade.

STAINLESS STEEL LOOK OR COLOUR

UNIQ profiles and covers are delivered as standard in a stainless steel look finish. If desired, they can also be delivered brute, so any colour can be chosen to ensure the profile perfectly suits any kind of floor.

A stunning look combined with safety and easy assembly: that's UNIQ!

UNIQ IS THE UNIQUE CLAMPING STRIP

As simple and elegant as they may look, a huge amount of technology goes into every glass balustrade. The UNIQ system features a host of new developments based on cutting edge insight and ever-stricter requirements.

EASY ASSEMBLY

It's easy to assemble a UNIQ profile:

- Secure the profile with the floor anchors
- Put the glass in place
- Place the clamp strip between the glass and the profile
- Screw in the special, pre-mounted bolts from the top side and walk way side.

Safety combined with easy assembly and a stunning look: that's UNIQ!

TESTS | CERTIFICATIONS

UNIQ profiles have been tested in several countries by the following agencies.

THE NETHERLANDS

SKG-IKOB

FRANCE

CSTB

AVIS
TECHNIQUE
DÉNOMINATION COMMERCIALE
n°2-119-1802-V1 publiée le 25/11/2019

GERMANY



ENGLAND



BELGIUM



HARBOUR VILLAGE | HET ZILVEREN SCHOR

chooses UNIQ smart balustrades

In the Dutch province Zeeland, near Arnhem, a park is being constructed featuring 82 luxurious holiday villas. For this project, a special profile was created for the glass balustrades based on the UNIQ principle.

The client, Glascentrum J. Goemaat BV from Goedereede, provided approximately 3000 metres of glass balustrades as well as the aluminium glass frames.

Director Jan Goemaat explains why they opted for the UNIQ principle: "When I looked at the drawings of the UNIQ profiles – at the time still in development – I immediately saw what good concept it is. After a great deal of consultation with our clients, and together with the people at SB-Railing, we developed a suitable solution for the balustrades used for the villas at Zilveren Schor, which required a special mounting method. I am very satisfied with our collaboration and the end result."





“

WHEN I LOOKED AT THE DRAWINGS
OF THE UNIQ PROFILES – AT THE
TIME STILL IN DEVELOPMENT –
I IMMEDIATELY SAW WHAT
A GOOD CONCEPT IT IS.

UNIQUE CLAMPING STRIP

The patented, continuous clamping strip makes the UNIQ system truly unique. With this clamping strip, the way the glass is held in place is substantially different from other systems, which brings significant benefits.



UNIQUE IN MOUNTING AND POSITIONING POSSIBILITIES

The assembly is also unique. In addition to structural anchors, the profiles are mounted with a second row of anchors so that it can be leveled. Because the inside of the profile is square, the glass will stand straight. The glass is completely and evenly clamped with the patented clamping strip, which avoids high tension in the glass. By adjusting the set / locking bolts of the clamping strip, small deviations in the position or thickness of the glass can be solved.

DOUBLE SAFETY

The continuous clamping strip is secured in two places. Cogging on both the clamping strip and the profile works as the first locking. The tightening of the specially designed bolts ensures the second locking. The glass is now safely secured and can't come loose.

Gently tapping the clamping strip



**SAFETY COMBINED WITH
EASY MOUNTING:
THAT'S UNIQ**




By adjusting the set / locking bolts of the clamping strip, small deviations in the position or thickness of the glass can be solved.





The continuous clamping strip is clearly visible

MOUNTING UNIQ STEP BY STEP



Check the instruction video






Visible is the rear cover

“



A BALUSTRADE WITH UNIQ PROFILES LOOKS
VERY SMOOTH. NO VISIBLE RUBBERS AND
FINISHED WITH A BEAUTIFUL COVER.





product overview

	Model		Glass	Profile adjustable	Page
	SB-O1	1 kN Top Mounted	15 8/8/pvb 10/10/pvb	✓	16
	SB-O2	2 kN Top Mounted	19 10/10/pvb 12/12/pvb	✓	20
	SB-O3	3 kN Top Mounted	12/12/pvb 8/8/8/pvb 15/15/pvb 10/10/10/pvb	✓	24
	SB-O 0.5S	0,5 kN Top Mounted	6/6/pvb 8/8/pvb		40
	SB-O1S	1 kN Top Mounted	15 8/8/pvb 10/10/pvb		44
	SB-O2S	2 kN Top Mounted	19 10/10/pvb 12/12/pvb		48
	SB-A1	1 kN Side Mounted	15 8/8/pvb 10/10/pvb	✓	28
	SB-A2	2 kN Side Mounted	19 10/10/pvb 12/12/pvb	✓	32
	SB-A3	3 kN Side Mounted	12/12/pvb 8/8/8/pvb 15/15/pvb 10/10/10/pvb	✓	36
	SB-A1S	1 kN Side Mounted	15 8/8/pvb 10/10/pvb		52
	SB-A2S	2 kN Side Mounted	19 10/10/pvb 12/12/pvb		56
	SB-OXS	Top Mounted	8 12 4/4/pvb 6/6/pvb		60


TOP MOUNTED (O)



SIDE MOUNTED (A)



UNIQ SB-01 | TOP MONTAGE 1KN



BASE PROFILE

- 2089036 SB-O1 Brute
- 2089038 SB-O1 Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2020151 GMS-L1 - 10/10/pvb
- 2028329 GMS-XL1 - 8/8/pvb
- 2028334 GMS-XXL1 - 15

L
4000 mm
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing

REAR COVER


- 2089104 CR-L1 - 10/10/pvb - Brute
- 2089358 CR-L1 - 10/10/pvb - Stainless look
- 2089106 CR-XL1 - 8/8/pvb - Brute
- 2089359 CR-XL1 - 8/8/pvb - Stainless look
- 2089108 CR-XXL1 - 15 - Brute
- 2089360 CR-XXL1 - 15 - Stainless look

B **L**
21 4000 mm
21 4000 mm
25 4000 mm
25 4000 mm
28 4000 mm
28 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L
1000 mm



FRONT COVER



- 2089088 CF-100 Brute
2089350 CF-100 Stainless look

L
4000 mm
4000 mm

OPTIONAL FOR FRONT COVER


- 1012311 Rubber for the cover front

L
1000 mm



PLATING COVERS




		D	B	L
2089090	CF-103 Brute	3	25	4000 mm
2089351	CF-103 Stainless look	3	25	4000 mm
2089092	CF-112 Brute	12	34	4000 mm
2089352	CF-112 Stainless look	12	34	4000 mm
2089094	CF-120 Brute	20	42	4000 mm
2089353	CF-120 Stainless look	20	42	4000 mm



END COVERS

- 2033435 SB-O1 end cover left, Brute
2033439 SB-O1 end cover left, Stainless look
2033436 SB-O1 end cover right, Brute
2033440 SB-O1 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



CORNER PIECES

- 2090626 SB-O1 Outside corner Brute
2090625 SB-O1 Outside corner Stainless look



2090622 SB-O1 Inside corner Brute
2090490 SB-O1 Inside corner Stainless look




ANCHOR SB-01


- 2008327 FISCHER injection mortar SB 390 S
2089149 FISCHER RSB 10 MINI capsule (alternative)
2089819 FISCHER RGM 10x170 Threaded rod indoor
2089820 FISCHER RGM 10x170 Threaded rod A4 outdoor

UNIQ SB-01 | INFO





UNIQ SB-02 | TOP MONTAGE 2KN



BASE PROFILE

- 2089514 SB-O2 Brute
- 2089516 SB-O2 Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2028356 GMS-L2 - 12/12/pvb
- 2028588 GMS-XXL3 - 10/10/pvb
- 2028588 GMS-XXL3 - 19

L
4000 mm
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing

REAR COVER


- 2089106 CR-XL1 - 12/12/pvb - Brute
- 2089359 CR-XL1 - 12/12/pvb - Stainless look
- 2089620 CR-XXL3 - 19 - Brute
- 2089622 CR-XXL3 - 19 - Stainless look

B L
25 4000 mm
25 4000 mm
31 4000 mm
31 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L
1000 mm



FRONT COVER



- 2089096 CF-300 Brute
2089354 CF-300 Stainless look

L
4000 mm
4000 mm

OPTIONAL FOR FRONT COVER


- 1012311 Rubber for the cover front

L
1000 mm



PLATING COVERS




		D	B	L
2089098	CF-303 Brute	3	35	4000 mm
2089355	CF-303 Stainless look	3	35	4000 mm
2089100	CF-312 Brute	12	44	4000 mm
2089356	CF-312 Stainless look	12	44	4000 mm
2089102	CF-320 Brute	20	52	4000 mm
2089357	CF-320 Stainless look	20	52	4000 mm



END COVERS

- 2090546 SB-O2 end cover left, Brute
2090554 SB-O2 end cover left, Stainless look
2090569 SB-O2 end cover right, Brute
2090559 SB-O2 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



CORNER PIECES

- 2090632 SB-O2 Outside corner Brute
2090631 SB-O2 Outside corner Stainless look



2090630 SB-O2 Inside corner Brute
2090493 SB-O2 Inside corner Stainless look




ANCHOR SB-O2


- 2008327 FISCHER injection mortar SB 390 S
2089149 FISCHER RSB 10 MINI capsule (alternative)
2089819 FISCHER RGM 10x170 Threaded rod indoor
2089820 FISCHER RGM 10x170 Threaded rod A4 outdoor

UNIQ SB-02 | INFO





UNIQ SB-03 | TOP MONTAGE 3KN



BASE PROFILE

- 2089043 SB-O3 Brute
- 2089045 SB-O3 Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2028527 GMS-XL3 - 12/12/pvb
- 2028527 GMS-XL3 - 8/8/8/pvb
- 2028420 GMS-L3 - 15/15/pvb
- 2028420 GMS-L3 - 10/10/10/pvb

L
4000 mm
4000 mm
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing


REAR COVER

- 2089114 CR-XL3 - 12/12/pvb - Brute 33 4000 mm
- 2089363 CR-XL3 - 12/12/pvb - Stainless look 33 4000 mm
- 2089114 CR-XL3 - 8/8/8/pvb - Brute 33 4000 mm
- 2089363 CR-XL3 - 8/8/8/pvb - Stainless look 33 4000 mm
- 2089112 CR-L3 - 15/15/pvb - Brute 27 4000 mm
- 2089362 CR-L3 - 15/15/pvb - Stainless look 27 4000 mm
- 2089112 CR-L3 - 10/10/10/pvb - Brute 27 4000 mm
- 2089362 CR-L3 - 10/10/10/pvb - Stainless look 27 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L
1000 mm



FRONT COVER



2089096	CF-300 Brute
2089354	CF-300 Stainless look

L
4000 mm
4000 mm

OPTIONAL FOR FRONT COVER



1012311	Rubber for the cover front
---------	----------------------------

L
1000 mm



PLATING COVERS




		D	B	L
2089098	CF-303 Brute	3	35	4000 mm
2089355	CF-303 Stainless look	3	35	4000 mm
2089100	CF-312 Brute	12	44	4000 mm
2089356	CF-312 Stainless look	12	44	4000 mm
2089102	CF-320 Brute	20	52	4000 mm
2089357	CF-320 Stainless look	20	52	4000 mm



END COVERS

2090565	SB-O3 end cover left, Brute
2090555	SB-O3 end cover left, Stainless look
2090570	SB-O3 end cover right, Brute
2090560	SB-O3 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



CORNER PIECES






2090636	SB-O3 Outside corner Brute
2090494	SB-O3 Outside corner Stainless look
2090634	SB-O3 Inside corner Brute
2090495	SB-O3 Inside corner Stainless look




ANCHOR SB-O3


2008327	FISCHER injection mortar SB 390 S
2089149	FISCHER RSB 10 MINI capsule (alternative)
2089141	FISCHER RGM 10x200 Threaded rod indoor
2089144	FISCHER RGM 10x200 Threaded rod A4 outdoor

UNIQ SB-03 | INFO





UNIQ SB-A1 | SIDE MOUNTED 1KN



BASE PROFILE

- 2089122 SB-A1 Brute
- 2062745 SB-A1 Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2020151 GMS-L1 - 10/10/pvb
- 2028329 GMS-XL1 - 8/8/pvb
- 2028334 GMS-XXL1 - 15

L
4000 mm
4000 mm
4000 mm


Content:
Clamping strip + glass blocks + required packing

REAR COVER

- | | | | |
|---------|------------------------------------|-------------|------------------|
| 2089104 | CR-L1 - 10/10/pvb - Brute | B 21 | L 4000 mm |
| 2089358 | CR-L1 - 10/10/pvb - Stainless look | 21 | 4000 mm |
| 2089106 | CR-XL1 - 8/8/pvb - Brute | 25 | 4000 mm |
| 2089359 | CR-XL1 - 8/8/pvb - Stainless look | 25 | 4000 mm |
| 2089108 | CR-XXL1 - 15 - Brute | 28 | 4000 mm |
| 2089360 | CR-XXL1 - 15 - Stainless look | 28 | 4000 mm |

OPTIONAL FOR REAR COVER

- | | | |
|---------|---------------------------|------------------|
| 1012309 | Rubber for the cover rear | L 1000 mm |
|---------|---------------------------|------------------|



FRONT COVER

- 2089088 CF-100 Brute
2089350 CF-100 Stainless look

L
4000 mm
4000 mm



OPTIONAL FOR FRONT COVER



- 1012311 Rubber for the cover front

L
1000 mm




PLATING COVERS

		D	B	L
2089090	CF-103 Brute	3	25	4000 mm
2089351	CF-103 Stainless look	3	25	4000 mm
2089092	CF-112 Brute	12	34	4000 mm
2089352	CF-112 Stainless look	12	34	4000 mm
2089094	CF-120 Brute	20	42	4000 mm
2089353	CF-120 Stainless look	20	42	4000 mm




END COVERS

- 2033429 SB-A1 end cover left, Brute
2033433 SB-A1 end cover left, Stainless look
2033432 SB-A1 end cover right, Brute
2033434 SB-A1 end cover right, Stainless look



Small color differences between end caps and profiles are possible.




CORNER PIECES

- 2090606 SB-A1 Outside corner Brute
2090484 SB-A1 Outside corner Stainless look



- 2090602 SB-A1 Inside corner Brute
2090485 SB-A1 Inside corner Stainless look



COVERCAP CC



- 2089065 COVERCAP CC-225 Brute
2089067 COVERCAP CC-225 Stainless look




ANCHOR SB-A1




- 2008327 FISCHER injection mortar SB 390 S
2089149 FISCHER RSB 10 MINI capsule (alternative)
2089142 FIS A M 10x150 Threaded rod indoor
2089814 FIS A M 10x150 Threaded rod A4 outdoor

UNIQU SB-A1 | INFO







UNIQ SB-A2 | SIDE MOUNTED
2KN



BASE PROFILE

2004963	SB-A2 Brute
2001315	SB-A2 Stainless look

L
4000 mm
4000 mm






GLASS MOUNTING SET (GMS)

2028356	GMS-L2- 12/12/pvb
2028588	GMS-XXL3 - 10/10/pvb
2028588	GMS-XXL3 - 19

L
4000 mm
4000 mm
4000 mm

Content:


Clamping strip + glass blocks + required packing



REAR COVER

2089106	CR-XL1 - 12/12/pvb - Brute
2089359	CR-XL1 - 12/12/pvb - Stainless look
2089620	CR-XXL3 - 19 - Brute
2089622	CR-XXL3 - 19 - Stainless look


B	L
25	4000 mm
25	4000 mm
31	4000 mm
31	4000 mm



OPTIONAL FOR REAR COVER

1012309 Rubber for the cover rear

L
1000 mm



FRONT COVER



2089096	CF-300 Brute
2089354	CF-300 Stainless look

L
4000 mm
4000 mm

OPTIONAL FOR FRONT COVER



1012311	Rubber for the cover front
---------	----------------------------

L
1000 mm



PLATING COVERS



		D	B	L
2089098	CF-303 Brute	3	35	4000 mm
2089355	CF-303 Stainless look	3	35	4000 mm
2089100	CF-312 Brute	12	44	4000 mm
2089356	CF-312 Stainless look	12	44	4000 mm
2089102	CF-320 Brute	20	52	4000 mm
2089357	CF-320 Stainless look	20	52	4000 mm



END COVERS


2090566	SB-A2 end cover left, Brute
2090556	SB-A2 end cover left, Stainless look
2090571	SB-A2 end cover right, Brute
2090561	SB-A2 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



CORNER PIECES

2090612	SB-A2 Outside corner Brute
2090486	SB-A2 Outside corner Stainless look
2090610	SB-A2 Inside corner Brute
2090487	SB-A2 Inside corner Stainless look



COVERCAP CC



2089509	COVERCAP CC-240 Brute
2089511	COVERCAP CC-240 Stainless look




ANCHOR SB-A2


2008327	FISCHER injection mortar SB 390 S6
2089149	FISCHER RSB 10 MINI capsule (alternative)
2089140	FIS A M 12x210 Threaded rod indoor
2089813	FIS A M 12x210 Threaded rod A4 outdoor

UNIQ SB-A2 | INFO





UNIQ SB-A3| SIDE MOUNTED 3KN



BASE PROFILE

- 2089512 SB-A3 Brute
- 2089513 SB-A3 Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2028527 GMS-XL3 - 12/12/pvb
- 2028527 GMS-XL3 - 8/8/8/pvb
- 2028420 GMS-L3 - 15/15/pvb
- 2028420 GMS-L3 - 10/10/10/pvb

L
4000 mm
4000 mm
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing

REAR COVER


- 2089114 CR-XL3 - 12/12/pvb - Brute
- 2089363 CR-XL3 - 12/12/pvb - Stainless look
- 2089114 CR-XL3 - 8/8/8/pvb - Brute
- 2089363 CR-XL3 - 8/8/8/pvb - Stainless look
- 2089112 CR-L3 - 15/15/pvb - Brute
- 2089362 CR-L3 - 15/15/pvb - Stainless look
- 2089112 CR-L3 - 10/10/10/pvb - Brute
- 2089362 CR-L3 - 10/10/10/pvb - Stainless look

B L
33 4000 mm
33 4000 mm
33 4000 mm
33 4000 mm
27 4000 mm
27 4000 mm
27 4000 mm
27 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L
1000 mm



FRONT COVER



- 2089096 CF-300 Brute
2089354 CF-300 Stainless look

L
4000 mm
4000 mm

OPTIONAL FOR FRONT COVER



- 1012311 Rubber for the cover front

L
1000 mm



PLATING COVERS



		D	B	L
2089098	CF-303 Brute	3	35	4000 mm
2089355	CF-303 Stainless look	3	35	4000 mm
2089100	CF-312 Brute	12	44	4000 mm
2089356	CF-312 Stainless look	12	44	4000 mm
2089102	CF-320 Brute	20	52	4000 mm
2089357	CF-320 Stainless look	20	52	4000 mm



END COVERS

- 2090567 SB-A3 end cover left, Brute
2090557 SB-A3 end cover left, Stainless look
2090572 SB-A3 end cover right, Brute
2090562 SB-A3 end cover right, Stainless look



Small color differences between end caps and profiles are possible.



CORNER PIECES

- 2090616 SB-A3 Outside corner Brute
2090488 SB-A3 Outside corner Stainless look

2090614 SB-A3 Inside corner Brute
2090489 SB-A3 Inside corner Stainless look



COVERCAP CC



- 2089081 COVERCAP CC-260 Brute
2089083 COVERCAP CC-260 Stainless look




ANCHOR SB-A3


- 2008327 FISCHER injection mortar SB 390 S
2089149 FISCHER RSB 10 MINI capsule (alternative)
2089140 FIS A M 12x210 Threaded rod indoor
2089813 FIS A M 12x210 Threaded rod A4 outdoor

UNIQ SB-A3 | INFO





UNIQ SB-O 0.5S| TOP MONTAGE 0.5KN



BASE PROFILE

- 2089015 SB-O 0,5S Brute
- 2089017 SB-O 0,5S Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2020151 GMS-L1 - 8/8/pvb
- 2028329 GMS-XL1 - 6/6/pvb

L
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing

REAR COVER



- 2089104 CR-L1 - 8/8/pvb - Brute
- 2089358 CR-L1 - 8/8/pvb - Stainless look
- 2089106 CR-XL1 - 6/6/pvb - Brute
- 2089359 CR-XL1 - 6/6/pvb - Stainless look

B **L**
21 4000 mm
21 4000 mm
25 4000 mm
25 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear


L
1000 mm



END COVERS

- 2033417 SB-O 0.5S end cover left, Brute
- 2033419 SB-O 0.5S end cover left, Stainless look
- 2033418 SB-O 0.5S end cover right, Brute
- 2033420 SB-O 0.5S end cover right, Stainless look

Small color differences between end caps and profiles are possible.




CORNER PIECES

- 2090581 SB-O 0,5S Outside corner Brute
- 2090498 SB-O 0,5S Outside corner Stainless look
- 2090577 SB-O 0,5S Inside corner Brute
- 2090499 SB-O 0,5S Inside corner Stainless look





ANCHOR SB-O 0,5S

- 2089145 FISCHER FBS II 10x120/35 US Concrete screw indoor
- 2089143 FISCHER FBS II 10x120/35 US Concrete screw outdoor



UNIQ SB-O 0,5S | INFO





UNIQ SB-01S| TOP MONTAGE 1KN



BASE PROFILE

- 2089022 SB-O1S Brute
- 2089024 SB-O1S Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2020151 GMS-L1- 10/10/pvb
- 2028329 GMS-XL1 - 8/8/pvb
- 2028334 GMS-XXL1 - 15

L
4000 mm
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing

REAR COVER



- 2089104 CR-L1 - 10/10/pvb - Brute
- 2089358 CR-L1 - 10/10/pvb - Stainless look
- 2089106 CR-XL1 - 8/8/pvb - Brute
- 2089359 CR-XL1 - 8/8/pvb - Stainless look
- 2089108 CR-XXL1 - 15 - Brute
- 2089360 CR-XXL1 - 15 - Stainless look

B **L**
21 4000 mm
21 4000 mm
25 4000 mm
25 4000 mm
28 4000 mm
28 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear


L
1000 mm



END COVERS

- 2033421 SB-O1S end cover left, Brute
- 2033423 SB-O1S end cover left, Stainless look
- 2033422 SB-O1S end cover right, Brute
- 2033424 SB-O1S end cover right, Stainless look

Small color differences between end caps and profiles are possible.



CORNER PIECES

- 2090593 SB-O1S Outside corner Brute
- 2090501 SB-O1S Outside corner Stainless look
- 2090585 SB-O1S Inside corner Brute
- 2090502 SB-O1S Inside corner Stainless look





ANCHOR SB-O1S

- 2089146 FISCHER FBS II 12x130/30 US Concrete screw indoor
- 2090469 FISCHER FBS II 12x130/30 US Concrete screw outdoor



UNIQ SB-01S | INFO





UNIQ SB-02S| TOP MONTAGE 2KN



BASE PROFILE

- 2090302 SB-02S Brute
- 2090303 SB-02S Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2028356 GMS-L2 - 12/12/pvb
- 2028588 GMS-XXL3 - 10/10/pvb
- 2028588 GMS-XXL3 - 19

L
4000 mm
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing

REAR COVER








- 2089106 CR-XL1 - 12/12/pvb - Brute
- 2089359 CR-XL1 - 12/12/pvb - Stainless look
- 2089620 CR-XXL3 - 19 - Brute
- 2089622 CR-XXL3 - 19 - Stainless look




B **L**
25 4000 mm
25 4000 mm
31 4000 mm
31 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear



L
1000 mm





CORNER PIECES

- 2090599 SB-O2S Outside corner Brute
- 2090503 SB-O2S Outside corner Stainless look
- 2090600 SB-O2S Inside corner Brute
- 2090504 SB-O2S Inside corner Stainless look



END COVERS

- 2090545 SB-O2S end cover left, Brute
- 2090410 SB-O2S end cover left, Stainless look
- 2090546 SB-O2S end cover right, Brute
- 2090411 SB-O2S end cover right, Stainless look


Small color differences between end caps and profiles are possible.




ANCHOR SB-O2S





- 2090470 FISCHER FBS II 12x110 50/35/10 US Concrete screw indoor
- 2090471 FISCHER FBS II 12x110 10/- US A4 Concrete screw outdoor

UNIQ SB-02S | INFO





UNIQ SB-A1S| SIDE MOUNTED 1KN





BASE PROFILE

- 2089057 SB-A1S Brute
- 2089059 SB-A1S Stainless look

L
4000 mm
4000 mm

Easy mounting because of the separate leg on the outside of the profile





GLASS MOUNTING SET (GMS)

- 2028606 GMS-L4- 10/10/pvb
- 2028850 GMS-XL4 - 8/8/pvb
- 2029977 GMS-XXL4 - 15

L
4000 mm
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing



REAR COVER


- 2089104 CR-L1 - 10/10/pvb - Brute
- 2089358 CR-L1 - 10/10/pvb - Stainless look
- 2089106 CR-XL1 - 8/8/pvb - Brute
- 2089359 CR-XL1 - 8/8/pvb - Stainless look
- 2089108 CR-XXL1 - 15 - Brute
- 2089360 CR-XXL1 - 15 - Stainless look

B **L**
21 4000 mm
21 4000 mm
25 4000 mm
25 4000 mm
28 4000 mm
28 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L
1000 mm



FRONT COVER



2089088	CF-100 Brute
2089350	CF-100 Stainless look

L
4000 mm
4000 mm

OPTIONAL FOR FRONT COVER



1012311	Rubber for the cover front
---------	----------------------------

L
1000 mm



PLATING COVERS


		D	B	L
2089090	CF-103 Brute	3	25	4000 mm
2089351	CF-103 Stainless look	3	25	4000 mm
2089092	CF-112 Brute	12	34	4000 mm
2089352	CF-112 Stainless look	12	34	4000 mm
2089094	CF-120 Brute	20	42	4000 mm
2089353	CF-120 Stainless look	20	42	4000 mm



END COVERS

2033425	SB-A1S end cover left, Brute
2033427	SB-A1S end cover left, Stainless look
2033426	SB-A1S end cover right, Brute
2033428	SB-A1S end cover right, Stainless look

Small color differences between end caps and profiles are possible.



CORNER PIECES






2090617	SB-A1S Outside corner Brute
2090496	SB-A1S Outside corner Stainless look
2090618	SB-A1S Inside corner Brute
2090497	SB-A1S Inside corner Stainless look




ANCHOR SB-A1S



2089821	FBS II 10x120/35 SK Concrete screw indoor
2074809	FBS II 10x120/35 SK Concrete screw A4 outdoor

UNIQ SB-A1S | INFO





UNIQ SB-A2S| SIDE MOUNTED 2KN





BASE PROFILE

- 2090414 SB-A2S Brute
- 2090415 SB-A2S Stainless look

L
4000 mm
4000 mm

Easy mounting because of the separate leg on the outside of the profile





GLASS MOUNTING SET (GMS)

- 2090377 GMS-L5 - 12/12/pvb
- 2090378 GMS-XL5- 10/10/pvb
- 2090378 GMS-XL5 - 19

L
4000 mm
4000 mm
4000 mm

Content:
Clamping strip + glass blocks + required packing



REAR COVER



- 2089108 CR-XXL1 - 10/10/pvb - Brute
- 2089360 CR-XXL1 - 10/10/pvb - Stainless look
- 2089106 CR-XL1 - 12/12/pvb - Brute
- 2089359 CR-XL1 - 12/12/pvb - Stainless look
- 2089620 CR-XXL3 - 19 - Brute
- 2089622 CR-XXL3 - 19 - Stainless look

B L
28 4000 mm
28 4000 mm
25 4000 mm
25 4000 mm
31 4000 mm
31 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear




L
1000 mm



END COVERS

- 2090547 SB-A2S end cover left, Brute
- 2090412 SB-A2S end cover left, Stainless look
- 2090548 SB-A2S end cover right, Brute
- 2090413 SB-A2S end cover right, Stainless look

Small color differences between end caps and profiles are possible.



CORNER PIECES

- 2090620 SB-A2S Outside corner Brute
- 2090619 SB-A2S Outside corner Stainless look


- 2090597 SB-A2S Inside corner Brute
- 2090598 SB-A2S Inside corner Stainless look




ANCHOR SB-A2S

- 2089821 FBS II 10x120/35 SK Concrete screw indoor
- 2074809 FBS II 10x120/35 SK Concrete screw A4 outdoor


UNIQ SB-A2S | INFO





UNIQ SB-OXS| TOP MONTAGE

SB-OXS is not suitable for structural or safety purposes.



BASE PROFILE

- 2090574 SB-OXS Brute
- 2089695 SB-OXS Stainless look

L
4000 mm
4000 mm

GLASS MOUNTING SET (GMS)

- 2090155 GMS-S1 - 4/4/pvb
- 2090156 GMS-XS1 - 6/6/pvb
- 2090155 GMS-S1 - 8
- 2090156 GMS-XS1 - 12

L
4000 mm
4000 mm
4000 mm
4000 mm

REAR COVER

- 2089104 CR-L1 - 4/4/pvb - Brute
- 2089358 CR-L1 - 4/4/pvb - Stainless look
- 2090575 CR-XS1 - 6/6/pvb - Brute
- 2089698 CR-XS1 - 6/6/pvb - Stainless look
- 2089104 CR-L1 - 8 - Brute
- 2089358 CR-L1 - 8 - Stainless look
- 2090575 CR-XS1 - 12 - Brute
- 2089698 CR-XS1 - 12 - Stainless look



B L
21 4000 mm
21 4000 mm
19 4000 mm
19 4000 mm
21 4000 mm
21 4000 mm
19 4000 mm
19 4000 mm

OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L
1000 mm

Mounting tools on page 66




END COVERS


- 2090568 SB-OXS end cover left, Brute
- 2090558 SB-OXS end cover left, Stainless look
- 2090573 SB-OXS end cover right, Brute
- 2090563 SB-OXS end cover right, Stainless look


Small color differences between end caps and profiles are possible.



UNIQ SB-OXS | INFO









ANCHOR SB-01

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089819	FIS RGM 10x170 Threaded rod indoor	10	300	70
2089820	FIS RGM 10x170 Threaded rod A4 outdoor	10	300	70




ANCHOR SB-02

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089819	FIS RGM 10x170 Threaded rod indoor	10	300	100
2089820	FIS RGM 10x170 Threaded rod A4 outdoor	10	300	100




ANCHOR SB-03

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089141	FIS RGM 10x200 Threaded rod indoor	10	300	100
2089144	FIS RGM 10x200 Threaded rod A4 outdoor	10	300	100




ANCHOR SB-A1

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089142	FIS A M 10x150 Threaded rod indoor	10	300	70
2089814	FIS A M 10x150 Threaded rod A4 outdoor	10	300	70




ANCHOR SB-A2

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S6	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089140	FIS A M 12x210 Threaded rod indoor	10	300	70
2089813	FIS A M 12x210 Threaded rod A4 outdoor	10	300	70



ANCHOR SB-A3


		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089140	FIS A M 12x210 Threaded rod indoor	10	200	70
2089813	FIS A M 12x210 Threaded rod A4 outdoor	10	200	70



ANCHOR SB-O 0,5S

MVE HOH MRA

2089145	FIS FBS II 10x120/35 US Concrete screw indoor	50	250	70
2089143	FIS FBS II 10x120/35 US Concrete screw A4 outd.50		250	70



ANCHOR SB-01S

MVE HOH MRA

2089146	FIS FBS II 12x130/30 US Concrete screw indoor	20	250	80
2090469	FIS FBS II 12x130/30 US Concrete screw A4 outd.20		250	80



ANCHOR SB-02S

MVE HOH MRA

2090470	FIS FBS II 12x110 50/35/10 US Concr. screw ind	20	150	90
2090471	FIS FBS II 12x110 10/- US Concr. screw A4 outd	20	150	90



ANCHOR SB-A1S

MVE HOH MRA

2089821	FIS FBS II 10x120/35 SK Concrete screw indoor	50	250	70
2074809	FIS FBS II 10x120/35 SK Concrete screw A4 outd.50		250	70



ANCHOR SB-A2S

MVE HOH MRA

2089821	FIS FBS II 10x120/35 SK Concrete screw indoor	50	250	70
2074809	FIS FBS II 10x120/35 SK Concrete screw A4 outd.50		250	70



FISCHER TOOLS

MVE

2089153	FISCHER dispenser FIS DM S	1
2089151	FISCHER brush rd12 voor FIS	1
2089150	FISCHER bellows ABG	1

MVE = Minimum sales quantity
 HOH = Center to center distance in millimeters
 MRA = Normative edge distance in millimeters

MOUNTING TOOLS



TAPPING TOOL

2089137 Tapping tool



MOUNTING WRENCH

2089138 Mounting wrench



CONNECT PIN

2089139 Connect pin

FOR THESE PROJECTS UNIQ IS CHOSEN!




ALSO AVAILABLE



WWW.SB-RAILING.COM

SLOTTED TUBE SYSTEM

Slotted Tube




304 Indoor satin		H	B	Ø	L
2004975	6	24	24	42,4	6000
2004980	6	30	27	48,3	6000
2004989	6	34	34	60,3	6000

316 Outdoor satin		H	B	Ø	L
2004976	6	24	24	42,4	6000
2004981	6	30	27	48,3	6000
2004990	6	34	34	60,3	6000

316 Outdoor mirror		H	B	Ø	L
2043237	6	24	24	42,4	6000
2043238	6	30	27	48,3	6000


Aluminium U Profile



Aluminium RVS Look		B	W	L
1021315	4	28	24	4000
1021317	4	19	15	4000
1021397	4	24	20	4000

Wall flange

L S




304 Indoor satin		D	Ø	H
1183.426.304	1	95	42,4	30
1183.486.304	1	100	48,3	35
1183.603.304	1	107	60,3	35

316 Outdoor satin		D	Ø	H
1183.426.316	1	95	42,4	30
1183.486.316	1	100	48,3	35
1183.603.316	1	107	60,3	35

Adaptor

L S




304 Indoor satin		D	Ø
1502.424.304	2	42,4x1,5	42,4
1502.483.304	2	42,4x1,5	48,3
1503.483.304	2	48,3x1,5	48,3

316 Outdoor satin		D	Ø
1502.424.316	2	42,4x1,5	42,4
1502.483.316	2	42,4x1,5	48,3
1503.483.316	2	48,3x1,5	48,3

Tube connector

L



304 Indoor satin



Ø

1201.425.304	2	42,4x1,5
1201.485.304	2	48,3x1,5
1201.605.304	2	60,3x1,5

316 Outdoor satin



Ø

1201.425.316	2	42,4x1,5
1201.485.316	2	48,3x1,5
1201.605.316	2	60,3x1,5

316 Outdoor mirror



Ø

1201.425.316#	2	42,4x1,5
1201.485.316#	2	48,3x1,5

Tube connector horizontal 90°

L



304 Indoor satin



Ø

H

1202.425.304	2	42,4x1,5	30
1202.485.304	2	48,3x1,5	35
1202.605.304	2	60,3x1,5	40

316 Outdoor satin



Ø

H

1202.425.316	2	42,4x1,5	30
1202.485.316	2	48,3x1,5	35
1202.605.316	2	60,3x1,5	40

316 Outdoor mirror



Ø

H

1202.425.316#	2	42,4x1,5	30
1202.485.316#	2	48,3x1,5	35

Tube connector vertical 90°

L



304 Indoor satin



Ø

H

1203.425.304	2	42,4x1,5	30
1203.485.304	2	48,3x1,5	35

316 Outdoor satin




Ø

H

1203.425.316	2	42,4x1,5	30
1203.485.316	2	48,3x1,5	35

End Cap

L



304 Indoor satin



Ø

1112.426.304	2	42,4x1,5
1112.486.304	2	48,3x1,5
1112.600.304	2	60,3x1,5

316 Outdoor satin



Ø

1112.426.316	2	42,4x1,5
1112.486.316	2	48,3x1,5
1112.600.316	2	60,3x1,5

316 Outdoor mirror



Ø

1112.426.316#	2	42,4x1,5
1112.486.316#	2	48,3x1,5

Tube connector adjustable L



Tube connector adjustable L




304 Indoor satin		D
1224.426.304	2	42,4x1,5
1224.485.304	2	48,3x1,5
1224.603.304	2	60,3x1,5

304 Indoor satin		D
1225.426.304	2	42,4x1,5
1225.485.304	2	48,3x1,5
1225.603.304	2	60,3x1,5

316 Outdoor satin		D
1224.426.316	2	42,4x1,5
1224.485.316	2	48,3x1,5
1224.603.316	2	60,3x1,5

316 Outdoor satin		D
1225.426.316	2	42,4x1,5
1225.485.316	2	48,3x1,5
1225.603.316	2	60,3x1,5

Oval slotted tube



End Cap oval



304 Indoor satin		H	B	D	L
2070442	6	26	33	80x40x1,5	6000
2073101	6	26	33	110x40x1,5	6000

304 Indoor satin		D
1112.804.304	2	80x40x1,5
1112.110.304	2	110x40x1,5

316 Outdoor satin		H	B	D	L
2073100	6	26	33	80x40x1,5	6000
2073102	6	26	33	110x40x1,5	6000

316 Outdoor satin		D
1112.804.316	2	80x40x1,5
1112.110.316	2	110x40x1,5


Glass profile tube rubbers



Rubber	L	Ø	B	G
6770.424.0800	6250	42,4	24	8 - 11
6770.424.1150	6250	42,4	24	11,5 - 13,5
6770.424.1600	6250	42,4	24	16 - 17,5
6770.424.2000	6250	42,4	24	20 - 21,5

Rubber	L	Ø	B	G
6770.483.0800	6250	48,3	27	8 - 11
6770.483.1150	6250	48,3	27	11,5 - 13,5
6770.483.1600	6250	48,3	27	16 - 17,5
6770.483.2000	6250	48,3	27	20 - 21,5
6770.603.0800	6250	60,3	34	8 - 11
6770.603.1150	6250	60,3	34	11,5 - 13,5
6770.603.1600	6250	60,3	34	16 - 17,5
6770.603.2000	6250	60,3	34	20 - 21,5
6770.603.2552	6250	60,3	34	25,52
6770.804.0800	6250	80/110x40	27	8 - 11
6770.804.1150	6250	80/110x40	27	11,5 - 13,5
6770.804.1600	6250	80/110x40	27	16 - 17
6770.804.2000	6250	80/110x40	27	20 - 21,5

Square slotted tube




304 Indoor satin		H	B	D	L
2081484	6	24	24	40x40x1,5	6000
2073103	6	24	24	60x40x1,5	6000

316 Outdoor satin		H	B	D	L
2081485	6	24	24	40x40x1,5	6000
2073104	6	24	24	60x40x1,5	6000

Wall flange square

L S




304 Indoor satin		D	H	W
4183.404.304	2	95x95	28 mm	40x40x1,5
4183.640.304	2	100x80	28 mm	60x40x1,5

316 Outdoor satin		D	H	W
4183.404.316	2	95x95	28 mm	40x40x1,5
4183.640.316	2	100x80	28 mm	60x40x1,5

Tube connector square

L




304 Indoor satin		W
4201.404.304	2	40x40x1,5
4201.640.304	2	60x40x1,5

316 Outdoor satin		W
4201.404.316	2	40x40x1,5
4201.640.316	2	60x40x1,5

End Cap square

L




304 Indoor satin		W
4112.404.304	2	40x40x1,5
4112.640.304	2	60x40x1,5

316 Outdoor satin		W
4112.404.316	2	40x40x1,5
4112.640.316	2	60x40x1,5

Tube connector 90° horizontal

L




304 Indoor satin		W	H
4202.404.304	2	40x40x1,5	50
4202.640.304	2	60x40x1,5	70

316 Outdoor satin		W	H
4202.404.316	2	40x40x1,5	50
4202.640.316	2	60x40x1,5	70

Tube connector 90° vertical

L




304 Indoor satin		W	H
4203.404.304	2	40x40x1,5	30
4203.640.304	2	60x40x1,5	30

316 Outdoor satin		W	H
4203.404.316	2	40x40x1,5	30
4203.640.316	2	60x40x1,5	30

GLASS CLIPS

Glass clip model 00 - Flat



304 Indoor
satin



00.A2.000.01 4

316 Outdoor
satin




00.A4.000.01 4

Zamak
Stainless look



00.ZN.000.01 4

Glass clip model 00 - Tube



304 Indoor
satin



Ø

00.A2.033.01 4 33,7

00.A2.042.01 4 42,4

316 Outdoor
satin



Ø

00.A4.033.01 4 33,7

00.A4.042.01 4 42,4

Zamak
Stainless look



Ø

00.ZN.042.01 4 42,4

Glass clip model 00 - Flat



Zamak
Brute



00.ZN.000.00 4

Glass clip model 00 - Tube



Zamak
Brute



Ø

00.ZN.042.00 4 42,4

Rubbers model 00




Rubbers
Model 00



Rubbers		Glass
6760.00.0600	8	6 mm
6760.00.0676	8	6,76 mm (3-0,76-3)
6760.00.0800	8	8 mm

Glass clip model 01 - Flat

S



3 04 Indoor satin



01.A2.000.01 4

316 Outdoor satin



01.A4.000.01 4


Zamak Stainless look



01.ZN.000.01 4

Glass clip model 01 - Tube

S



304 Indoor satin



01.A2.042.01 4 42,4

316 Outdoor satin



01.A4.042.01 4 42,4

316 Outdoor Mirror



01.A4.042.01# 4 42,4

Zamak Stainless look



01.ZN.042.01 4 42,4

Glass clip model 01 - Flat

S



Zamak Brute



01.ZN.000.00 4

Glass clip model 01 - Tube

S



Zamak Brute



01.ZN.042.00 4 42,4

Rubbers model 01




Rubbers Model 01



Rubbers Model 01		Glass
6760.01.0600	8	6 mm
6760.01.0676	8	6,76 mm (3-0,76-3)
6760.01.0800	8	8 mm
6760.01.0876	8	8,76 mm (4-0,76-4)
6760.01.0952	8	9,52 mm (4-1,52-4)
6760.01.1000	8	10 mm

Glass clip model 02 - Flat

S



304 Indoor satin



02.A2.000.01 4

316 Outdoor satin



02.A4.000.01 4


Zamak Stainless look



02.ZN.000.01 4

Glass clip model 02 - Tube

S



304 Indoor satin



Ø

02.A2.042.01 4 42,4

02.A2.048.01 4 48,3

316 Outdoor satin



Ø

02.A4.042.01 4 42,4

02.A4.048.01 4 48,3

316 Outdoor Mirror



Ø

02.A4.042.01# 4 42,4

02.A4.048.01# 4 48,3

Zamak Stainless look



Ø

02.ZN.042.01 4 42,4

02.ZN.048.01 4 48,3

Glass clip model 02 - Flat

S



Zamak Brute



02.ZN.000.00 4

Glass clip model 02 - Tube

S



Zamak Brute



Ø

02.ZN.042.00 4 42,4

02.ZN.048.00 4 48,3

Rubbers model 02



Rubbers Model 02




		Glass
6760.02.0600	8	6 mm
6760.02.0676	8	6,76 mm (3-0,76-3)
6760.02.0800	8	8 mm
6760.02.0876	8	8,76 mm (4-0,76-4)
6760.02.0952	8	9,52 mm (4-1,52-4)
6760.02.1000	8	10 mm

standard in packing model 02



Glass clip model 04 - Flat

S



304 Indoor satin



04.A2.000.01 4

316 Outdoor satin



04.A4.000.01 4


Zamak Stainless look



04.ZN.000.01 4

Glass clip model 04 - Tube

S



304 Indoor satin



04.A2.048.01 4 48,3

316 Outdoor satin



04.A4.048.01 4 48,3

Zamak Stainless look



04.ZN.048.01 4 48,3

Glass clip model 04 - Flat

S



Zamak Brute



04.ZN.000.00 4

Glass clip model 04 - Tube

S



Zamak Brute



04.ZN.048.00 4 48,3

Rubbers model 04



Rubbers Model 04




Rubbers Model 04		Glass
6760.04.0952	8	9,52 mm (4-1,52-4)
6760.04.1000	8	10 mm
6760.04.1152	8	11,52 mm (5-1,52-5)
6760.04.1200	8	12 mm
6760.04.1276	8	12,76 mm (6-0,76-6)
6760.04.1352	8	13,52 mm (6-1,52-6)
6760.04.1500	8	15 mm
6760.04.1676	8	16,76 mm (8-0,76-8)
6760.04.1752	8	17,52 mm (8-1,52-8)

standard in packing model 04



Glass clip model 05 - Flat

S



304 Indoor satin



05.A2.000.01 4

316 Outdoor satin



05.A4.000.01 4


Zamak Stainless look



05.ZN.000.01 4

Glass clip model 05 - Tube

S



304 Indoor satin



Ø

05.A2.042.01 4 42,4

05.A2.048.01 4 48,3

316 Outdoor satin



Ø

05.A4.042.01 4 42,4

05.A4.048.01 4 48,3

Zamak Stainless look



Ø

05.ZN.042.01 4 42,4

05.ZN.048.01 4 48,3

Glass clip model 05 - Flat

S



Zamak Brute



05.ZN.000.00 4

Glass clip model 05 - Tube

S



Zamak Brute



Ø

05.ZN.042.00 4 42,4

05.ZN.048.00 4 48,3

Rubbers model 05



Rubbers Model 05




		Glass
6760.05.1076	8	5-0,76-5 mm
6760.05.1152	8	5-1,52-5 mm
6760.05.1200	8	12 mm
6760.05.1276	8	6-0,76-6 mm

standard in packing
model 05



Glass clip model 06 - Flat

S



304 Indoor satin



06.A2.000.01 4

316 Outdoor satin



06.A4.000.01 4

Zamak Stainless look



06.ZN.000.01 4

Glass clip model 06 - Flat

S



Zamak Brute



06.ZN.000.00 4

standard in packing model 06



Rubbers model 06



Rubbers Model 06




Glass

Rubbers Model 06		Glass
6760.06.0800	8	8 mm
6760.06.0876	8	8,76 mm (4.0,76-4)
6760.06.0952	8	9,52 mm (4-1,52-4)
6760.06.1000	8	10 mm

Glass clip model 06 - Tube

S



304 Indoor satin



Ø

06.A2.042.01	4	42,4
06.A2.048.01	4	48,3

316 Outdoor satin



Ø

06.A4.042.01	4	42,4
06.A4.048.01	4	48,3

316 Outdoor Mirror



Ø

06.A4.042.01#	4	42,4
06.A4.048.01#	4	48,3

Zamak Stainless look



Ø

06.ZN.042.01	4	42,4
06.ZN.048.01	4	48,3

Glass clip model 06 - Tube

S



Zamak Brute



Ø

06.ZN.042.00	4	42,4
06.ZN.048.00	4	48,3

Rubbers Model 06




Glass

Rubbers Model 06		Glass
6760.06.1076	8	10,76 mm (5-0,76-5)
6760.06.1152	8	11,52 mm (5-1,52-5)
6760.06.1200	8	12 mm
6760.06.1276	8	12,76 mm (6-0,76-6)

Glass clip model 07 - Flat

S



304 Indoor satin



07.A2.000.01 4

316 Outdoor satin



07.A4.000.01 4


Zamak Stainless look



07.ZN.000.01 4

Glass clip model 07 - Tube

S



304 Indoor satin



Ø

07.A2.254.01 4 25,4

07.A2.337.01 4 33,7

316 Outdoor satin



Ø

07.A4.254.01 4 25,4

07.A4.337.01 4 33,7

Zamak Stainless look



Ø

07.ZN.254.01 4 25,4

07.ZN.337.01 4 33,7

Glass clip model 07 - Flat

S



Zamak Brute



07.ZN.000.00 4

Glass clip model 07 - Tube

S



Zamak Brute



Ø

07.ZN.254.00 4 25,4

07.ZN.337.00 4 33,7

Rubbers model 07




Rubbers Model 07



Glass

Rubbers Model 07		Glass
6760.07.0600	8	6 mm
6760.07.0676	8	6,76 mm (3-0,76-3)
6760.07.0800	8	8 mm
6760.07.0876	8	8,76 mm (4-0,76-4)

Glass clip model 08 - Flat




316 Outdoor satin



08.A4.000.01 4

Glass clip model 08 - Tube




316 Outdoor satin



Ø

08.A4.042.01	4	42,4
08.A4.048.01	4	48,3

Glass clip model 09 - Flat




316 Outdoor satin



09.A4.000.01 4

Glass clip model 09 - Tube



316 Outdoor satin



Ø

09.A4.042.01	4	42,4
09.A4.048.01	4	48,3

Rubbers model 08/09



Rubbers Model 08/09



Glass

6760.09.0800	8	8 mm
6760.09.0876	8	8,76 mm (4-0,76-4)
6760.09.0952	8	9,52 mm (4-1,52-4)
6760.09.1000	8	10 mm
6760.09.1076	8	10,76 mm (5-0,76-5)
6760.09.1152	8	11,52 mm (5-1,52-5)
6760.09.1200	8	12 mm
6760.09.1276	8	12,76 mm (6-0,76-6)

Glass clip model 10 - 090

S

**304 Indoor**
satin


10.A2.090.01 2

316 Outdoor
satin

10.A4.090.01 2

Glass clip model 10 - 180

S

**304 Indoor**
satin

10.A2.180.01 2

316 Outdoor
satin

10.A4.180.01 2


Rubbers model 10

**Rubbers**
Model 10**Glass**

Rubbers Model 10		Glass
6760.10.0600	8	6 mm
6760.10.0800	8	8 mm
6760.10.0876	8	8,76 mm (4-0,76-4)
6760.10.0952	8	9,52 mm (4-1,52-4)
6760.10.1000	8	10 mm

Glass clip model 11 - Flat

S

**316 Outdoor**
satin


11.A4.000.01 1 Glass 16.76-19mm

Glass clip model 11 - 090

**316 Outdoor**
satin


11.A4.090.01 1 Glass 16.76-19mm

Glass clip model 11 - 180

**316 Outdoor**
satin

11.A4.180.01 1 Glass 16.76-19mm

Glass clip model 11 - 270

**316 Outdoor**
satin

11.A4.270.01 1 Glass 16.76-19mm









IMS NEDERLAND B.V.
GILDENWEG 21
NL-3334 KC ZWIJNDRECHT
T. +31 78 6230600
F. +31 78 6101030
INFO@UNIQ-BALUSTRADES.COM
WWW.UNIQ-BALUSTRADES.COM